## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	request\$ same peripheral adj device same busy	USPAT	OR	OFF	2008/05/11 14:16
L2	5	request\$ same peripheral adj device same busy same respond	USPAT	OR	OFF	2008/05/11 14:16
L3	12	1 same status	USPAT	OR	OFF	2008/05/11 14:17
L4	7	request\$ same peripheral adj device same busy	US-PGPUB	OR	OFF	2008/05/11 14:18
L5	2	4 same status	US-PGPUB	OR	OFF	2008/05/11 14:19
L6	660	request\$ same device same busy same respon\$	USPAT	OR	OFF	2008/05/11 14:20
L7	189	6 same status	USPAT	OR	OFF	2008/05/11 14:20
L8	17	7 and "709"/\$.ccls.	USPAT	OR	OFF	2008/05/11 14:23
L9	1	("6950864").PN.	USPAT; USOCR	OR	OFF	2008/05/11 15:53
L10	28	"19" and (identif\$ with managed adj device)	USPAT	OR	OFF	2008/05/11 15:54
L11	0	9 and (identif\$ with managed adj device)	USPAT	OR	OFF	2008/05/11 15:54
L12	1	9 and (identif\$ same managed adj device)	USPAT	OR	OFF	2008/05/11 15:54
S1	2601	709/203.ccls.	USPAT	OR	ON	2005/03/29 19:27
S2	2347	(router).ab.	USPAT	OR	ON	2005/03/29 19:28
S3	19	S1 and S2	USPAT	OR	ON	2005/03/30 11:12
S4	442	(load adj balanc\$). ab.	USPAT	OR	ON	2005/03/29 19:29
<b>S</b> 5	33	S1 and S4	USPAT	OR	ON	2005/03/29 19:29

S6	36	(router same cache \$).ab.	USPAT	OR	ON	2005/04/01 15:38
S7	174	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer)).ab.	USPAT	OR	ON	2005/03/30 14:54
<b>S</b> 8	2	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same status). ab.	USPAT	OR	ON	2005/03/30 14:56
<b>S</b> 9	30044	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same status or busy)	USPAT	OR	ON	2005/03/30 14:57
S10	333	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same (status or busy))	USPAT	OR	ON	2005/03/30 14:57
S11	3	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same (status or busy)).ab.	USPAT	OR	ON	2005/03/30 14:59
S12	3	(("6003064") or ("5889046") or ("5870561")).PN.	USPAT; USOCR	OR	OFF	2005/03/30 14:59
S13	0	("10064080").PN.	USPAT; USOCR	OR	OFF	2005/03/30 19:10
S14	1	("6134596").PN.	USPAT; USOCR	OR	OFF	2005/03/30 19:10
S15	1	router near5 cache\$ near5 stor\$ near5 request	USPAT	OR	ON	2005/03/31 08:33
S16	6	router near10 cache \$ near10 (stor\$ or hold\$) near10 request	USPAT	OR	ON	2005/03/31 08:44
S17	17	router near10 cache \$ near10 (stor\$ or hold\$) near10 request	US-PGPUB	OR	ON	2005/03/31 08:51

S18	10	router near10 (cache \$ or memory) near10 (stor\$ or hold \$ or queue) near10 query	US-PGPUB; USPAT	OR	ON	2005/03/31 09:01
S19	4143	router near10 (cache \$ or memory or queu \$)		OR	ON	2005/03/31 09:00
S20	103	router near10 (cache \$ or memory) near10 queu\$	US-PGPUB; USPAT	OR	ON	2005/03/31 09:25
S21	386	, , , ,	US-PGPUB; USPAT	OR	ON	2005/03/31 09:27
S22	289	((queue or cache) same (hold\$ or wait \$) same (request or command or query)).	USPAT	OR	ON	2005/03/31 09:27
S23	771	((queue or cache or memory or buffer) same (hold\$ or wait \$) same (request or command or query)). ab.	USPAT	OR	ON	2005/03/31 09:30
S24	4	(router same (queue or cache or memory or buffer) same (hold \$ or wait\$) same (request or command or query)).	USPAT	OR	ON	2005/04/01 12:14
S25	1161	709/201.ccls.	USPAT	OR	ON	2005/04/01 12:18
S26	772	709/202.ccls.	USPAT	OR	ON	2005/04/01 12:18
S27	136	S25 and S26	USPAT	OR	ON	2005/04/01 12:18
S28	2	\$25 and (proxy adj server same profile)	USPAT	OR	ON	2005/04/01 12:57
S29	1	S26 and (proxy adj server same profile)	USPAT	OR	ON	2005/04/01 15:31
S30	0	S26 and (intermediate adj server same profile)	USPAT	OR	ON	2005/04/01 15:32

S31	5	S26 and (intermediate adj server)	USPAT	OR	ON	2005/04/01 15:34
S32	11	S25 and (intermediate adj server)	USPAT	OR	ON	2005/04/01 15:34
S33	3	S32 and profile	USPAT	OR	ON	2005/04/01 15:34
S34	389	(router with cache\$)	USPAT	OR	ON	2005/04/01 15:41
S35	487241	(router with cache\$ or memory)	USPAT	OR	ON	2005/04/01 15:41
S36	107	(router with (cache\$ or memory)).ab.	USPAT	OR	ON	2005/04/01 16:56
S37	279	(router with (cache\$ or memory)same (busy or available))	USPAT	OR	ON	2005/04/01 16:35
S38	18	(router with (cache\$ or memory)same busy)	USPAT	OR	ON	2005/04/01 16:38
S39	0	S38 and S36	USPAT	OR	ON	2005/04/01 16:38
S40	33	(router same (intelligent or smart)).ab.	USPAT	OR	ON	2005/04/01 17:50
S41	370	(router with (intelligent or smart))	USPAT	OR	ON	2005/04/01 16:57
S42	6679	(router adf (intelligent or smart)).ab.	USPAT	OR	ON	2005/04/01 16:58
S43	1	(router adj (intelligent or smart)).ab.	USPAT	OR	ON	2005/04/01 17:00
S44	46	(router adj (intelligent or smart))	USPAT	OR	ON	2005/04/01 17:26
S45	1	("6205141").PN.	USPAT; USOCR	OR	OFF	2005/04/01 17:27
S46	2	(router same (intelligent or smart) same (cache or memory)).ab.	USPAT	OR	ON	2005/04/01 18:00
S47	84	(router same (intelligent or smart) same (cache or memory))	USPAT	OR	ON	2005/04/01 18:01

S48	351	((network or internet) and (domain adj name adj rout\$) or DNS or (domain adj name adj server)).ab.	USPAT	OR	ON	2005/04/05 12:08
S49	14559	"707"/\$.ccls.	USPAT	OR	ON	2005/04/05 12:09
S50	11	S49 and (version adj manag\$).ab.	USPAT	OR	ON	2005/04/05 12:10
S51	0	S49 and ((version adj manag\$)same router).ab.	USPAT	OR	ON	2005/04/05 12:10
S52	326	S49 and (archive or backup).ab.	USPAT	OR	ON	2005/04/05 12:11
S53	5	S49 and ((archive or backup) same rout \$).ab.	USPAT	OR	ON	2005/04/05 12:48
S54	182	((network or internet) and (router same stor\$)).ab.	USPAT	OR	ON	2005/04/05 12:49
<b>S</b> 55	49	((network or internet) and (router same stor\$ same (memory or cach \$))).ab.	USPAT	OR	ON	2005/04/05 12:49
S56	538	(request with data with router)	USPAT	OR	ON	2005/04/07 08:50
S57	0	(request with dta with router) and (data with stor\$4 with router)	USPAT	OR	ON	2005/04/07 08:51
S58	193	(request with data with router) and (data with stor\$4 with router)	USPAT	OR	ON	2005/04/07 08:54
S59	22	(request with data with router).ab.	USPAT	OR	ON	2005/04/07 08:52
S60	9	S58 and S59	USPAT	OR	ON	2005/04/07 08:52
S61	11	(request with data with router) and (data with stor\$4 with router).ab.	USPAT	OR	ON	2005/04/07 08:54
S62	375	(inquiry adj data)	USPAT	OR	ON	2005/10/07 11:39
S63	135	S62 same (device or node)	USPAT	OR	ON	2005/10/07 11:53

S64	131	S63 and (stor\$ or retriev\$)	USPAT	OR	ON	2005/10/07 11:41
S65	51	S63 same (stor\$ or retriev\$)	USPAT	OR	ON	2005/10/07 11:44
S66	0	S65 same router	USPAT	OR	ON	2005/10/07 11:41
S67	10	S65 and router	USPAT	OR	ON	2005/10/07 14:51
S68	3	S62 same (target adj (device or node))	USPAT	OR	ON	2005/10/07 11:54
<b>S</b> 69	1	("6205141").PN.	USPAT; USOCR	OR	OFF	2005/10/07 14:51
S70	707	(target or server) adj2 (busy or unavailable)	USPAT	OR	ON	2005/10/09 14:51
S71	1233	(router or proxy or intermedia\$4) near3 cache	USPAT	OR	ON	2005/10/09 14:51
S72	3	S70 same S71	USPAT	OR	ON	2005/10/09 14:54
S73	11385	(target or server) near3 (fault\$3 or error or fail\$3 or busy or unavailable)	USPAT	OR	ON	2005/10/09 14:54
S74	7732	(router or proxy or intermedia\$4) near3 (cache or memory or ram)	USPAT	OR	ON	2006/01/15 11:29
S75	11	S73 same S74	USPAT	OR	ON	2005/10/09 14:57
S76	8	S75 not S72	USPAT	OR	ON	2005/10/09 15:00
S77	11352	(router or proxy or intermedia\$4) near5 (cache or memory or ram)	USPAT	OR	ON	2006/01/15 11:28
S78	16029	(target or server) near5 (fault\$3 or error or fail\$3 or busy or unavailable)	USPAT	OR	ON	2006/01/15 11:27
S79	21	S77 same S78	USPAT	OR	ON	2005/10/09 14:54
S80	10	S79 not S75	USPAT	OR	ON	2005/10/09 16:14
S81	2	(("6167446") or ("6658463")).PN.	USPAT; USOCR	OR	OFF	2005/10/09 16:14

S82	9968	709/201-203,223- 226,238.ccls.	USPAT	OR	ON	2006/01/15 11:26
S83	1633	S82 and (target or server) near5 (fault \$3 or error or fail\$3 or busy or unavailable)	USPAT	OR	ON	2006/01/15 11:27
S84	658	S82 and (router or proxy or intermedia \$4) near5 (cache or memory or ram)	USPAT	OR	ON	2006/01/15 11:28
S85	521	S82 and (router or proxy or intermedia \$4) near3 (cache or memory or ram)	USPAT	OR	ON	2006/01/15 11:30
S86	0	S82 and ((inquiry or status) adj (command or data or file) same busy).	USPAT	OR	ON	2006/01/15 11:33
S87	5	((inquiry or status) adj (command or data or file) same busy).ab.	USPAT	OR	ON	2006/01/15 11:34
S88	20090	"709"/\$.ccls.	USPAT	OR	ON	2006/01/15 11:34
S89	5	S88 and (status same busy).ab.	USPAT	OR	ON	2006/01/15 11:37
S90	194	(status same busy). ab.	USPAT	OR	ON	2006/01/15 11:37
S91	17	(status same busy same (server or target or destination)).ab.	USPAT	OR	ON	2006/01/15 11:38
S92	1	("6725272").PN.	USPAT; USOCR	OR	OFF	2006/01/15 12:55
S93	0	(10/064080).CCLS.	US-PGPUB	OR	OFF	2006/05/01 09:06
S94	230	(router or proxy or intermed) same ((cach\$ or memory) with (status or health or inquery))	USPAT	OR	ON	2008/05/04 12:26
S95	654	(router or proxy or intermed\$) same ((cach\$ or memory) with (status or health or inquery))	USPAT	OR	ON	2008/05/04 12:26

S96	28	(router or proxy or intermed\$) same ((cach\$ or memory) with (status or health or inquery)).	USPAT	OR	ON	2008/05/04 12:26
S97	230	(router or proxy) same ((cach\$ or memory) with (status or health or inquery))	USPAT	OR	ON	2008/05/04 12:29
S98	91	S97 and "709"/\$. ccls.	USPAT	OR	ON	2008/05/04 12:30
S99	13123	709/223-224.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/04 12:35
S100	556	(router or proxy) with (cach\$ or stor \$3) with status	US-PGPUB; USPAT	OR	ON	2008/05/04 12:37
S101	68	S99 and S100	US-PGPUB; USPAT	OR	ON	2008/05/04 12:37
S102	118	("5710885").URPN.	USPAT	OR	OFF	2008/05/05 08:08
S103	0	router with cach adj memory	US-PGPUB; USPAT	OR	OFF	2008/05/05 16:56
S104	5	cach adj memory	US-PGPUB; USPAT	OR	OFF	2008/05/05 16:56
S105	25676	network adj managem\$	US-PGPUB; USPAT	OR	OFF	2008/05/05 16:58
S106	49	cache adj memory with router	USPAT	OR	OFF	2008/05/05 17:00
S107	110	cache adj memory with router	US-PGPUB; USPAT	OR	OFF	2008/05/05 17:01
S108	49	S106 and S107	US-PGPUB; USPAT	OR	OFF	2008/05/05 17:01
S109	4	S108 and 709/223,224.ccls.	US-PGPUB; USPAT	OR	OFF	2008/05/05 17:01
S110	226	(server or host) same router same (client or node or device) same (status)	USPAT	OR	OFF	2008/05/07 16:21
S111	6473	709/223-224.ccls.	USPAT	OR	OFF	2008/05/07 16:22
S112	31	S110 and S111	USPAT	OR	OFF	2008/05/07 16:22

S113	111	(status or inquiry) with (node or device or client) with cache adj memory	USPAT	OR	OFF	2008/05/07 16:52
S114	2	S111 and S113	USPAT	OR	OFF	2008/05/07 16:52
S115	823	(status or inquiry or information) with (node or device or client) with cache adj memory	USPAT	OR	OFF	2008/05/07 16:56
S116	14	S111 and S115	USPAT	OR	OFF	2008/05/07 16:56
S117	128	(stor\$3 or cach\$4) near5 (status or inquiry or information) near5 (node or device or client) near5 cache adj memory	USPAT	OR	OFF	2008/05/07 17:03
S118	3	S111 and S117	USPAT	OR	OFF	2008/05/07 17:04
S119	7	(stor\$3 or cach\$4) near5 (status or inquiry or information) near5 (node or device or client) near5 cache adj memory.ab.	USPAT	OR	OFF	2008/05/07 18:17
S120	7	(stor\$3 or cach\$4) near5 (status or inquiry or information) near5 (node or device or client) near5 cache adj memory.ab.	US-PGPUB	OR	OFF	2008/05/07 18:18
S121	3	router same peripheral same cache adj memory	US-PGPUB; USPAT	OR	OFF	2008/05/11 09:33
S122	36579	router with (peripheral or device or target adj device)	US-PGPUB; USPAT	OR	OFF	2008/05/11 09:38
S123	54	S122 same cache adj memory	US-PGPUB; USPAT	OR	OFF	2008/05/11 09:39
S124	373	router with (peripheral adj device or target adj device)	US-PGPUB; USPAT	OR	OFF	2008/05/11 09:39
S125	0	S124 same cache adj memory	US-PGPUB; USPAT	OR	OFF	2008/05/11 09:39

S126	101	S124 and cache adj memory	US-PGPUB; USPAT	OR	OFF	2008/05/11 09:40
S127	69	router with (peripheral adj device or target adj device)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 09:58
S128	0	S127 same cache adj memory	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 09:59
S129	0	S127 and cache adj memory	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 09:59
S130	142	router with (peripheral adj device or target adj device)	USPAT	OR	OFF	2008/05/11 10:00
S131	5	S130 same cache	USPAT	OR	OFF	2008/05/11 10:01
S132	231	router with (peripheral adj device or target adj device)	US-PGPUB	OR	OFF	2008/05/11 11:01
S133	5	S132 same cache	US-PGPUB	OR	OFF	2008/05/11 11:01

## 5/11/2008 4:46:52 PM

C:\ Documents and Settings\ fhamza\ My Documents\ EAST\ Workspaces\ 10064080.wsp